

# MISC. LOCKING DEVICES

## MISC. "LOCKING" HARDWARE

### Index

#### B

Barrel Bolts	3
Billy Buttons	17
BurglaBars	5

#### C

Camper Locks	14
Chain Door Fasteners	5
Chain Guards	5
Charley Bars	2

#### D

Door Guards	4
Double-Bolt Locks	4

#### E

Electro-Mechanical Locks	18
Exit Security Bars	2

#### F

Flip Locks	7
Flush Bolts	8
Forte Hasp Locks	9
Forte PullBolt	9

#### G

Garage Door Locks	7, 8
Gate Hardware	8, 11, 12, 13
Gate Hinges	11
Gate Latches	8, 12
Gate Locks	8, 13
Gun Locks	14

#### H

Hasp Locks	9, 15
Hasps	14, 15
Hitch Safe	18
Hospital Push/Pull Latches	16

#### K

Kee-Bloks	16
Keyed Chain Door Locks	5
Keyed Window Bolts	8

#### L

Latch Bolts	2
Locking Bolts	2

#### M

Magnetic Safety Gate Latches	10
Multi Purpose Deadlocks	6

#### O

Outboard Motor Lock	15
---------------------	----

#### P

Padlock Eyes	15
Patio Door Locks	2, 5, 6, 7
Patio Door Security Pins	6
Push Pull Latches	16

#### S

Screen Door Locks	6
Screen Door Strikes	6
Security Drop Bolts	10
Sliding Deadbolts	3
Sliding Door Locks	5, 6, 17
Spring Bolts	3
Surface Mounted Deadbolts	6, 7

#### T

Tamper-Proof Door Locks	2
-------------------------	---

#### V


##### Vendors

AMERICAN	2, 14
BARGMAN	14
CAL AMERICA	4
COMPM NATIONAL	8
CORBIN RUSSWIN	16
D&D Tech.	9, 10, 11, 12, 13
ENGERT'S	2
EXIT SECURITY, INC	2
GLYNN JOHNSON	16
HITCH SAFE	18
ILCO	5
IVES	4
MAG	5, 6, 7
MAJOR	2, 7, 16
MARKS HARDWARE	8
MASTER	14, 15
NSP/S-LINE	3
S. PARKER HDWE	3, 5, 6, 8, 15
SARGENT & GREENLEAF	3, 18
SENTRY	6
STRY-BUC	2
SUNCOAST SECURITY	17
TRILEEN	5
ULTRA HARDWARE	17
WATCHGUARD	8

#### W

Window Locks	5, 6, 7
--------------	---------

## BARS, SECURITY




### Exit Security Bars

- Strength of steel to deter burglars
  - "Hook on" & "Lift off" operation
  - Simple installation. • For metal or wood doors
  - Quick release in case of emergency
  - Security without lock and key. Security Bar & Fixed Position Bar are 1-1/4" 16 ga. square steel tubing. Finish: Electrostatic powder epoxy - gray, baked on; nomenclature: silkscreened epoxy - red.
- All installation hardware is included.

Order #	Item #	Door Size	Cat. Price
273-0036	SB-01-0036	36"	<b>112.20</b>
273-0042	SB-01-0042	42"	<b>112.20</b>
273-0048	SB-01-0048	48"	<b>112.20</b>
273-0060	SB-01-0060	60"	<b>182.40</b>
273-0072	SB-01-0072	72"	<b>182.40</b>

**Extra Long "L" Bolt** for 01 series. 1 pair

273-1015	SB-P1-1015	<b>\$12.00</b>
----------	------------	----------------



### Charley Bars

**CHA-A48.** Fits 36 to 48" sliding glass doors. Made of rust-proof sturdy aluminum tubing.

175-4826	Aluminum	<b>\$22.70</b>
175-4879	Bronze	<b>22.70</b>

## BOLTS, LOCKING

### LOCKING BOLTS




### MAJOR Locking Bolts

**AFC-1976NR.** 6" Square Bolt. Can be padlocked in open or closed position. Welded steel base and straps. Laminated steel bolt. Packaged with two strikes and one way screws.


025-1976	AFC-1976NR	<b>\$25.00</b>
----------	------------	----------------

### AMERICAN Lock #895.



Heavy duty, high security locking bolt has a 3/4" square solid hardened steel throw that is fully adjustable from 3/4 to 2-3/8". Chrome plated.

425-0219	JUN-895	<b>\$29.14</b>
----------	---------	----------------




### ENGERT LATCH BOLTS

### ENGERT'S Patio Door Locks.

Easy, Simple to Install. Strong long-lasting protection. Three sizes to fit any wood or metal framed patio door. Mounts at any height along frame.

270-0005	ENG-5 SDL	3/4" Shackle Width	<b>\$10.12</b>
270-0010	ENG-10 SDL	1-1/4" Shackle Width	<b>10.42</b>
270-0020	ENG-20 SDL	2" Shackle Width	<b>10.42</b>




### Engert. Easy-To-Use Tamper-Proof Door Locks

Simple to Install. Use on Doors, Windows, Gates, Etc.

Order #	Item #	Size	Price
270-0049	ENG-49HL	3-1/2"	<b>\$6.64</b>
270-0098	ENG-98HL	4-1/2"	<b>13.56</b>

## BOLTS, LOCKING




S. Parker Hardware

### Square Spring Bolts

Black square bolts are very useful for gates, barns and other outbuilding doors. Poly bagged and carded.

Order #	Item #	SIZE	PRICE
475-6286	43106	6"	<b>\$ 9.22</b>
475-8286	43108	8"	<b>13.00</b>



### NSP/S-LINE Barrel Bolts.

Locking type for use with heavy padlock (not included). Rust resistant. Heavy zinc plated bolt, diameter full 9/16". Includes keeper for mortise jamb application.

844-0100	TA832GV-PWS 8	8 inch	<b>\$7.76</b>
844-0105	TA832GV-PWS 5	5 inch	<b>6.56</b>



### S. PARKER HARDWARE

### Standard Weight Zinc Barrel Bolts.

A body notch secures the thrown bolt for greater security, and construction is all steel. Complete with screws and surface strike.


Order #	Item #	SIZE	PRICE
475-3290	41203	3"	<b>\$2.36</b>
475-4290	41204	4"	<b>2.66</b>
475-6290	41206	6"	<b>4.52</b>

## BOLTS, LOCKING

### SARGENT & GREENLEAF

### Padlocking Sliding Deadbolt Less Strike

Surface mounted deadbolt for use on inswinging or outswinging high security doors. Die cast Zamak alloy, one inch bolt throw with hardened steel pins (withstands one ton of thrust). Compatible with any 5/16" shackle padlock (Recommended: S&G 8077 combination padlock- meets military spec. FF-P110F for safeguard of classified info). Lockable in open or closed positions. Dimensions: 5-1/4" long x 1-1/2" wide x 1-2/3" high.



Order strike separately, listed below.

Order #	Item #	Price
735-3000	SRG-SM181 1881-001	<b>\$119.84</b>

### Sliding Deadbolts. Key Locking, Less Strike


Surface mounted high security key locking deadbolt for use on inswinging or outswinging high security doors. Die cast Zamak alloy, one inch bolt throw with hardened steel pins (withstands one ton of thrust). Can be secured in locked or unlocked positions. Dimensions: 5-1/4" long x 1-1/2" wide x 1-2/3" high.

Order strike separately, listed below.

735-3002	SRG-SM183 1883-001	<b>144.70</b>
----------	--------------------	---------------

The SM-181 and 183 can be mounted in any of four positions using the strikes illustrated. All strikes come complete with mounting hardware.

**\$44.00 each**



### Strikes

### For Above Deadbolts:

Order #	Item #	Strike	For
735-3012	1810-001	#12	Double Doors
735-3013	1810-002	#13	Mortise Floor
735-3014	1810-003	#14	Standard Door
735-3015	1810-004	#15	Mortise Door

More  
S&G on  
Page  
12-12

**CAL**

CAL AMERICA




## CAL Double-Bolt Locks High Security Lock for Sliding Glass Doors

The "CAL Double-Bolt Lock" is elegant, durable and permanent. It is easy to install and operate. With its flexible mounting options, it can be installed anywhere along the door opening to maximize security, safety and convenience. Once installed, the locks break-through design makes a sliding glass door virtually Burglar-Proof.

An external lock assembly designed for sliding glass doors. It mounts on the door frame, providing maximum protection. The lock comprises of a pair of sliding steel bolts that enter the central vertical hole of a specially designed tubular-shaped, frame-mounted element. As a result, providing solid Metal-to-Metal security. Once installed, it prevents sliding glass doors from being lifted out from their tracks.



Optional Handle



### Forced Entry Test Results:

Test Performed As Per AAMA 1303.5

**1,000 lbs. Load Tension**

Hurricane Engineering &amp; Testing Inc.

With a sleek, aesthetic, low profile design, the lock fits easily within the limited space available between the sliding glass door frame and the interior of the door panel. This allows the lock to virtually disappear within the frame and window environment.

### Double Bolt Lock

Order #	Item #	Color	Catalog Price
202-0005	CAL-001	White	<b>\$40.00</b>
202-0010	CAL-002	Silver	<b>40.00</b>
202-0015	CAL-003	Black	<b>40.00</b>

### Handle for Double Bolt Lock

202-0020	CAL-001H	White	<b>\$31.84</b>
202-0025	CAL-002H	Silver	<b>31.84</b>
202-0030	CAL-003H	Black	<b>31.84</b>

### O.E.M. Cavity Insert for O.E.M. Installations

202-0035	CAL-001C	White	<b>\$31.84</b>
202-0040	CAL-002C	Silver	<b>31.84</b>
202-0045	CAL-003C	Black	<b>31.84</b>

## IVES: Door Guard

### 482 Door Guards

**IVES**

- Solid Bar Door Guard is for use on doors that are flush with frames.
  - Door can be slightly opened to allow viewing
  - Edge Guard protects frame
  - Meets ANSI/BHMA A156.16
  - Cast Brass, easy installation
- Edge Guard: 1-1/8" x 1-1/32"  
Holder: 1-3/4" x 1-1/16"  
Arm Length: 4-3/4"  
Strike: 2-5/8" x 1-1/32"



Order #	Item #	Catalog Price
405-0010	482B26D (626)	<b>\$34.08</b>
405-0015	482B10B (613)	<b>34.08</b>
405-0020	482B10 (612)	<b>30.96</b>

## CHAINS


### CHAINS

S. Parker Hardware

### Keyed Chain Door Locks

Locks or unlocks from inside the home, without a key. Unlocked from the outside with key.

390-0028	PAR 21030	\$19.80
----------	-----------	---------




S. PARKER HARDWARE

### Solid Brass

### Chain Door Fasteners

Hardened, welded steel chain and extra long tamper resistant screws. Solid brass.


920-0203	PAR-29300	\$5.86
----------	-----------	--------



### Chain Guards

Features welded steel chain and extra long tamper resistant screws. Stamped steel, brass plated.

920-0201	MAG-CG201	\$2.10
----------	-----------	--------



## DOOR & WINDOW

### MAG BurglaBars

#### Sliding Glass Door Lock

A Unique Hinge-Type Lock Designed to Provide Superior Shear Strength.

- Made of unbreakable GE Lexan.
- 3M special adhesive bonds to glass like a weld, holding power increases with natural aging.
- No tools needed to install.
- Secures both sliding sections firmly in their tracks.
- Self locking hinge maintains tight fit for continued reliable performance.
- Lower section flips down easily for normal exit.
- Crystal-clear GE Lexan
- Two (2) per card- enough for one sliding glass door or two sash windows.

360-450 pounds dynamic shear strength - one BURGLABAR on a sash window. 720-900 pounds with two on a sliding door!

715-0001	BURGLABAR/8702	\$10.62
----------	----------------	---------



ILCO



### Window Locks

IND-203-03-51. Prevents opening of window, even if glass is broken.

5 disc tumbler cyl. 1-way screws.

2 keys. Bright Brass

400-2083	203-03-51 KA DF54	\$15.20
----------	-------------------	---------




MAG Engineering

### Patio Door Locks

For most types of sliding glass doors and windows. Aluminum housing - steel bolts. Keyless.

165-0200	8754-AL	\$3.64
----------	---------	--------



Unlocks with key.

165-0400	8757	\$9.82
----------	------	--------

### Patio & Storm Door Locks


#### S. PARKER HARDWARE

Screen door knob lock

for all outswinging doors 7/8" to 1-1/4" thick.

Uses 3" mounting hole spacing, using three 1/4" holes. Key lock in knob.

390-0999	PAR 64490	\$23.90
----------	-----------	---------






## DOOR & WINDOW

### Multi Purpose Deadlocks

Brass pin tumbler lock.  
One way screws. KD only.



920-1100	SOU CD1600PB	Brass	\$11.26
----------	--------------	-------	---------

### Screen Door Locks


For all outswinging storm doors 7/8" to 1-1/4" thick. "I" style tie-down handle, and needs only three 1/4" holes for installation. Inside latch has an anti-lockout feature. Key locked thumb push-button for greater security.

390-0012	PAR 64090	\$16.82
----------	-----------	---------

### Screen Door Strikes


Aluminum; replace worn or damaged strikes on screen and storm doors. Carded.

390-0001	PARKER 66000	\$2.86
----------	--------------	--------



### Sentry Door Lock Guards

One lock prevents door from sliding, two (top & bottom) prevents door from being lifted from track. Easy operating hinge action. Lock mounts to frame of stationary door. Strike on sliding door retains slidebolt in locked position.




Order #	Item #	PRICE
805-0021	KM-1 Alum.	\$13.66

### SENTRY

### Sliding Aluminum Window Locks

Keyless. Fits vertical and horizontal.

Order #	Item Finish	per card	PRICE
050-0700	1072 Silver	2	\$6.44
050-0800	1076 Silver	6	17.88




### SENTRY

### ALL-LS-50A, Keyed Model.

Requires only 1/16" clearance between door & header. Also fits horizontal and vertical sliding windows. KA12.

050-0500	LS-50A	\$18.20
----------	--------	---------




## DOOR & WINDOW

MAG



### Sliding Door Locks Window Locks




Installs easily, no tools required. Installs on upper or lower track. Locks securely, ventilates safely.

Order #	Item #	Packaging	PRICE
725-0300	300/8732	Two per card	\$2.24

### S. PARKER HARDWARE

### Keyed Patio Door Locks

Solid steel bolt with 7/8 projection. Foot lever operation. Pin tumbler, Fits most sliding glass doors. Tamper resistant screws provided.



920-1253	PAR 8756	\$21.86
----------	----------	---------

### Highest Quality Surface Mounted Deadbolts

### Maximum Security Locks


For sliding glass patio doors. Mounts in any position. Operates by opening & closing cover, which encloses a 5/16 diameter hardened steel bolt which extends 1-3/4" in length. When cover is opened, pin retracts and door is unlocked. Pin tumbler, tamper proof screws. Satin chrome plated.



920-5140	PAR PL514	\$15.84
----------	-----------	---------

### Patio Door Security Pins


Deters intruders from prying or lifting sliding patio doors out of track. Retainer cap holds steel pin in place when not in use.



920-1970	MAG 8752	\$2.24
----------	----------	--------

### Keyed Sash Window Locks

Key hole faces away from the glass for greater pick resistance. Pin tumbler security mechanism. Arm lever may be placed in locked or unlocked position. Tamper resistant mounting screws. Brass plated.



920-0402	MAG 8758/WL402	\$6.46
----------	----------------	--------

## DOOR & WINDOW




*Stronger Than Ever!*

### GARAGEBLOK

**Jimmie-Proof, Fortress-Like Shield for Garage, Warehouse, Overhead, Swinging Doors, and Many Other Applications.**

- Hardened steel bolt and built-in "Lock Shield" virtually eliminates sawing either in half
- Protective padlock shield
- Tough, armored 2-1/4 pound 3/16 " steel housing, plated in zinc chromate.
- Can be locked in the open or closed position.
- Easily installed in minutes. Garage Door Locks:



• 1-3/4" Throw

Order #	Item #	Door Side	Price
527-0110	MAJ A500L	Left	<b>\$44.50</b>
527-0115	MAJ A500R	Right	<b>44.50</b>


### OCTOPOD

*Versatile Surface Mounted Deadbolts*

**Ideal for Sliding Patio Doors, Sliding Windows, Swinging Doors, Double Doors, French Doors and More!**

- Can be used on narrow stile doors minimum 1-5/8" frame width.
- Accepts standard 1-1/8" Mortise cylinder (not included)
- Mounts at top or bottom of door
- Supplied with #1 Gear (for use with standard mortise cylinders), locking rod, one way screws and instructions.
- Equipped with a 9" long locking bolt with a 2-3/8" throw
- Powdercoat Finishes

Order #	Item #	Finish	Price
527-0104	5002-1-9A	Aluminum	<b>\$56.50</b>
527-0105	5002-1-9D	Duronodic	<b>56.50</b>



### Flip Locks. 8705


Non-keyed, with two hinged steel plates. One affixes to door frame, second hinge pivots for locking. When door is closed, the second hinge can be flipped & locked in to prevent door from opening. Inswinging doors only. Stamped steel, brass plated.



920-0120	<b>MAG 8705</b>	<b>\$1.82</b>
----------	-----------------	---------------




### Patio Door Locks



### Sliding Window Locks

**9838.** Cam operated, viselike grip holds lock to window track. Windows can be locked in ventilating position. No tools required to install.





920-1941	<b>MAG 8738</b>	<b>\$2.66</b>
----------	-----------------	---------------

### CINCHER

**Sliding Patio Door Security**

- Tamper-proof design (capped ends and concealed mounting screws)
- Door cannot be lifted off track or opened with the CINCHER in place
- For Inside Installation only
- 14 gauge steel stamping
- Secured with an "S" Hook (1/4" dia., included)
- Padlock (not included) secures door as a dead-bolt only (only when home is vacated)
- Powdercoat finishes



Order #	Item #	Finish	Price
527-0155	MAJ CH-20	Duranodic	<b>\$11.60</b>
527-0160	MAJ CH-28	Aluminum	<b>11.60</b>

## DOOR & WINDOW


WATCHGUARD



### Keyed Window Bolts

W Watchguard

Carded. Designed to secure wooden casement and awning windows, this lock is easy to install and operate. Window is locked by pushing the steel bolt into sash and turning the key. One way screws are provided for extra security.



923-0030	03212 Bronze	\$19.72
----------	--------------	---------

## FLUSH BOLTS


S. PARKER HARDWARE

### Lever Flush Bolts

1" x 6-3/4". A.S.A. specs. Made to template for easy installation in metal doors frames. Specially designed bolt head requires only a punched hole and prevents turning. Use of strike optional.

Lever flush bolt have 12" rods have type FF-H-11B-1045 bolts.

650-0197	PAR-197AL	\$23.26
----------	-----------	---------



## Flush Bolts

For installation on aluminum storefront doors.

1/8" Offset, lever operated. Rounded corners with 12" rod. Bolts are 15/16" wide x 5-5/8" long.

Order #	Item #	Finish	Price
650-0210	R198 ALE	Aluminum	\$13.78
650-0200	R198 DURE	Duronodic	13.78


## GATE LATCH

S. PARKER HARDWARE

### Secret Gate Latches

Sprayed Aluminum finish. Quickly installed on almost any gate to keep the gate closed.

650-0551	551AL	\$24.50
----------	-------	---------



## GATE LOCKS


MARKS HARDWARE

### Reversible Swinging/ Sliding Gate Locks

With Patented "No Fallout" Feature.

**Note: 1-1/8" mortise cylinders not included.**

- Case, cast aluminum 3-5/8" x 6-1/4" x 1".
- Groove: 1/2" wide x 3/16" deep, all sides for wire gate insertion.
- Reversible, Now the handing can be reversed in the field.
- Parts will not fall out when cover is removed.
- **Cylinders not included.**



### Swinging Gate Locks:

With 1-1/8" Latch projection and 1/2" channel size.

540-3700	Single cylinder W3700	\$151.20
540-3750	Double cylinder W3750	212.40

### Sliding Gate Locks


.825" Hook gap and 1/2" channel size.

540-3800	Single cylinder W3800	\$151.20
540-3850	Double cylinder W3850	212.40

## GARAGE DOOR

COMPTON  
NATIONAL

### Garage Door Locks



Inside Door Mechanism, installs inside door, near track. Sliding bolt locks into track.

605-0210	C8797-2C	\$36.56
----------	----------	---------

### Outside Door Handle

Key releases mechanism, handle locks mechanism.

605-0214	C8798-26 KD	\$57.88
----------	-------------	---------



D&amp;D Technologies

## Forte Hasp Locks



The HaspLock is designed to replace a conventional hasp and staple padlock arrangement and to provide far greater security.

Made of 316-grade stainless steel, especially ideal for use in marine environments. Highly resistant to hacksawing, prying and oxyacetylene cutting.

- Stainless Steel security
- 6-pin lock security
- Master keyable
- Replace cylinder for higher security (such as Abloy, Assa, Kaba, Medeco, Mul-T-Lock, Schlage Primus, etc.)


Order #	Item #	Model	Cat. Price
212-0060	FHLSSR	Regular	<b>\$261.24</b>
212-0065	FHLSSSH	Single Hinge	<b>321.40</b>

## Forte PullBolt




The stylish, stainless steel Forte PullBolt is designed to provide powerful locking security for store-fronts, doors, frames and gates. It can act as add-on security to existing lock systems or can be used as a primary lock.

**FACE MOUNT**  
Model: Can be face-mounted across door and gate frames. Installed using four through-mounted M10 stainless steel screws, the lock bolt slides snugly across into the sturdy keeper-housing for optimum security.



**SIDE MOUNT**  
Model: Can also be face-mounted onto door or gate frames, but, with its extra versatility, can be mounted either adjacent to the locking frame or parallel to the ground surface. A Keeper Plate is supplied for bolt security.



Made from 316-grade stainless steel. 3/4" lock bolt has a throw of 1-1/4", and contains a hardened steel insert to resist hacksawing. QA ISO 9001 manufacturer Lifetime Warranty.

• Replace cylinder for higher security (such as Abloy, Assa, Kaba, Medeco, Mul-T-Lock, Schlage Primus, etc.)

Order #	Item #	Model	Cat. Price
212-0070	FPBSSFM	Face Mount	<b>\$262.08</b>
212-0075	FPBSSSM	Side Mount	<b>211.50</b>

## D&amp;D Technologies

**MAGNA-LATCH****Magnetic Safety Gate Latch**

Designed as a child safety gate latch rather than a security latch, all latches are keyed-alike, and cannot be re-keyed.

- Patented magnetic self-latching
- Exceeds international barrier/safety codes
- Quality molded polymers & stainless steel
- Unprecedented horizontal and vertical adjustment. The latch can be adjusted at any time during or after installation.
- All latches adapt readily to most new or existing gates and any gate material.

**For swimming pool and other child safety gates, most Barrier Codes and Standards specify the following requirements:**

- The pool gate must open outward, away from the pool, so the latch must be fitted to the outside of the pool gate.
- The latch release knob is to be fitted high, out of the reach of children.
- Fence height to be minimum 48" above finished ground.

NOTE:

Overlength is 20.25"

Confirm these requirements with the appropriate rules in your area.




**MAGNA-LATCH "Top Pull" Swimming Pool & Child Safety Gate, Black Color**

Order #	Item #	Catalog Price
212-0030	MLTPS2BGA	<b>\$103.04</b>

**Magna-Latch****Magnetic Safety Gate Latches****Vertical Pull**

Offers horizontal and vertical adjustment. Can be adjusted at any time during or after installation to help overcome gate sag or natural ground movement.

**For swimming pool and child safety gates.**



MLVPS2BGA

Order #	Item #	Catalog Price
212-0080	DDT MLVPS2BGA	<b>\$97.64</b>

## D&amp;D Technologies

**LOKK•BOLT****Security Drop Bolts**

**Heavy duty drop-bolt (Cane-bolt).**


**Ideal for double-drive gates.**

This key lockable device comes in a convenient 24" length, and is easy to install on most gate and fence materials.

- Can be keyed-alike to most doors
- Tough, molded polymer construction
- 316 grade stainless steel rod.

Clever bolt retention grooves mean this cane-bolt will never drop, drag, bend, or rind across driveways.

Uses a standard 6-pin "key-in-knob" style lock cylinder. Can be replaced with high security systems. Key Lockable Double-Drive Gate Security



**LOKK•BOLT Key-Lockable Drop Bolt**  
**Black Color**

Order #	Item #	Catalog Price
212-0055	LB124BX	<b>\$117.90</b>

**D&D Technologies****TRU-CLOSE**

Meets Pool Barrier Codes

**Adjustable, Self-Closing Gate Hinges**

Molded from special glass-fiber reinforced polymer materials. These UV-stabilized materials provide strong, rust-free hinges that won't sag or stain. They NEVER require lubrication.

**Patented Tension Adjustment:** Simply remove the endcap, depress and turn internal adjustors required. No special tools required.

**Regular Range (TCA Models)**


- Fits gates to 55 lbs (per pair)
- 300 lb point load, at 31" from pivot point of hinges
- Tested to 50,000 Cycles

**Alignment Legs**  
("L2" models)  
Quik-Fit Alignment legs for fast installation and added fitting strength. Two legs provide secure, double-face fixing.

**Applications:** Most pool or household gates  
**Mount Style:** Flat, face-fixed to gate & fence.  
**Opening:** 180° ("Gate Stop" Required)  
**Spring:** Stainless steel, torsion type.  
**Gap Variance:** fixed at 11/16"

**TCA1L2-MK2**

Order #	Item #	Catalog Price
212-0010	TCA1L2-MK2	<b>\$44.22</b>


**TCHD1A-L2**  
Metal Gates**TCHD2-L2**  
Wood/Vinyl**Heavy Duty Range (TCHD Models)**

- Fits gates to 132 lbs (per pair)
- 700 lb point load, at 44" from pivot point of hinges
- Tested to 200,000 Cycles

**Applications:** Heavier, larger gates, High traffic areas  
**Mount Style:** Flat, face-fixed to gate and fence.  
**Opening:** 180° ("Gate Stop" Required)  
**Spring:** Stainless steel, torsion type.


Order #	Item #	Gap Variance	Catalog Price
212-0015	TCHD1A-L2	Fixed at 3/4"	<b>\$75.18</b>
212-0020	TCHD2-L2	Fixed at 3/4"	<b>80.42</b>
212-0005	TCHDMA1	5/8" to 1-3/8"	<b>105.38</b>
212-0025	TCHDRND1	3/4" to 1-3/8"	<b>95.66</b>

Gate Hardware

**D&D Technologies****LOKK-LATCH****Round Post Gravity Latch****For round-posted gates & fences**

Combines the benefits of key-lockability and reliable latching action with sleek design and 100% rust-free components.

Ideal for tennis courts and chainlink fencing.





Latch and External Access Kit, Black

Order #	Item #	Catalog Price
212-0050	LL5ABRND	<b>\$67.46</b>

**Duplicate Keys for LL5ABRND**

212-0001	DDT DUPLICATE KEY	<b>\$2.80</b>
----------	-------------------	---------------

**TCHDMA1**  
Wood/Vinyl**TCHDRND1**  
for round fence posts



## LOKK•LATCH

### Lockable, General-Purpose Gate Latch

#### A Home Gate Latch With Style

A general-purpose gravity latch that's key-lockable and stylishly designed. Combines the benefits of key-lockability and reliable latching action with sleek design and 100% rust-free components.

- Tough, glass-reinforced polymer construction
- Key lockable latch (on # LL3ABBG)
- Stainless steel tongue
- Quick and easy to install
- Manufacturer's Lifetime Warranty

#### System 3 General Purpose Pedestrian Gate Locks.


With one-inch "side-fixing" legs in a 90° bracket that wraps the fence post for added fitting strength. Ideal for wood and vinyl gate materials. The 90° bracket can be unscrewed from the latch body and rotated to fit left or right-hand hinged gates. Black Finish.

Order #	Item #	Catalog Price
212-0035	LL3ABG	<b>\$39.18</b>

#### System 3 General Purpose Pedestrian Gate Locks With External Access Kit.

The "External Access Kit" allows gates to be operated from outside the fence. This convenient lockable push-button accessory operates the latch by way of a connecting rod between latch and kit. Locking the External Access Kit prevents operation of the connecting rod but does not lock the main latch. Extra key is included. Black Finish.

Order #	Item #	Catalog Price
212-0040	LL3ABBG	<b>\$64.78</b>



## D&D Technologies

## LOKK•LATCH PRO

### Privacy & Security Gate Latches

Can be keyed-alike to most household doors


- Heavy Duty - Stylish Design
- Fits externally (no welding)
- 6-pin security lock
- Stainless steel components

The most sophisticated privacy and security gate latch ever devised. The privacy latch fencing contractors have been waiting for.

Can be operated and locked from either side of the gate. Made of molded, rust-proof polymer materials and marine-grade stainless steel components.

A high quality security and privacy gate latch for metal and wooden gates - in fact, any gate where security is required. The External Push-Button Access allows the gate to be opened and locked from either side of the fence.


For both residential and commercial applications. If installed in accordance with barrier codes, it provides protection in preventing toddlers and pets from accessing dangerous roadways.



Black finish

Order #	Item #	Catalog Price
212-0045	LL1ABBX-KSA	<b>\$121.80</b>

Gate Hardware



## D&D Technologies


### LOKK•LATCH Pro SL

**Self-Locking Security  
for multi-unit housing, commercial properties  
and security areas**

- Lokk-Latch Pro is self locking
- Requires key to enter and exit
- For metal, wood, and vinyl gates
- Fits posts up to 6" deep
- Comes with External Access Kit (EAK)

Order #	Item #	Catalog Price
212-0105	LLP1S-K KD	<b>\$147.62</b>
212-0110	LLP1S-KSA KA	<b>147.62</b>

Gate Hardware



### Z-Lokk MAGNETIC Gate Locks

Locking Security for Picket-Style Gates

This remarkable magnetically-triggered lock is the result of years of in-depth research, and is the gate product the fencing industry has been requesting.

- Patented magnetic self-latching
- Install without any milling, hole-drilling or welding.
- Provides up to 1/3" of vertical and 5/8" of horizontal adjustment at any time during or after installation.
- Adaptor plates are provided to accommodate different gate frame widths.
- Made from tough engineered polymers and quality stainless steel components, no rust.
- Can simultaneously open or lock the gate from both sides of the fence
- Can be re-keyed to match other house locks via its 6-pin security locks.
- Non-handed

Short Body, for gate frames up to 1-5/8" (1" - 1-5/8")

Order #	Item #	Catalog Price
212-0085	ZL1-K	\$133.68
212-0090	ZL1-KSA	133.68

Long Body, for gate frames up to 2-1/2" (1-3/4" - 2-1/2")

Order #	Item #	Catalog Price
212-0095	ZL2-K	\$141.20
212-0100	ZL2-KSA	141.20



## GUN LOCKS



### Precision Pin Tumbler Gun Locks.

Adjustable to fit most trigger guards.


Order #	Item	PRICE
555-6118	90-KA	<b>\$16.50</b>
555-6129	90-KD	<b>15.26</b>

*Warning: Gun Locks not guaranteed to lock all guns.  
Do not install on loaded gun or cocked gun.*

### No. 94 Trigger Lock Features

Longer post fits wider trigger guards.  
new cross-hatch texture compliments firearm appearance and enhances grip.  
27% greater tensile strength.  
Set your own combination.  
999 combination possibilities.

**Master**



94DSPT

Order #	Item #	Price
555-6120	MASTER 94DSPT	<b>\$17.72</b>

*Warning: Gun Locks not guaranteed to lock all guns.  
Do not install on loaded gun or cocked gun.*

## HASPS


### HASPS

### AMERICAN Lock Co.




**Centered Hole.** 5" x 2".  
Hardened Steel.

425-0247	#535CC	<b>\$13.44</b>
----------	--------	----------------




**Top Security Flex-O-Hasp**  
Heavy wrought steel.  
Single Hinge. 6-1/4 x 1-3/4".

425-0250	#875CC	<b>\$11.24</b>
----------	--------	----------------




**Double Hinge.** 7-3/4 x 1-3/4".  
Wrought Steel

425-0251	#885CC	<b>\$12.72</b>
----------	--------	----------------



**All Hardened Super Security Straight bar.**  
7-1/2 x 1-5/8".

425-0248	825CC	<b>\$14.70</b>
----------	-------	----------------



**90° Angle bar.** 4-1/4 x 1-5/8".  
Hardened Steel

425-0249	850CC	<b>\$15.72</b>
----------	-------	----------------


Hasps

## TRAILER LOCKS

### BARGMAN Camper Locks

NOT designed for vehicles that transport passengers.

**RV Travel  
Trailer Lock**  
11-10-501



Heavy duty lock, works with doors 1-1/4" to 2" thick. Requires opening in door 2-3/4 x 2-3/8". In knob cylinders have stainless steel dust covers. Escutcheon plates are 3-5/8 x 2-7/8".

120-1000	11-10-501 Lock	<b>\$77.40</b>
----------	----------------	----------------

### Repair Kits


Order #	Item #	Catalog Price
120-0300	11-30-901 L300	<b>\$57.26</b>
120-0400	14-40-902 L400	<b>69.04</b>

## HASPS

### S. PARKER HARDWARE

#### Fixed Staple Safety Hasps

Provide good security under many conditions. For most situations where a fixed staple is necessary or desirable. Carded and complete with screws.




Order #	Item #	Size	Price
475-2929	11225	2-1/2"	<b>\$2.60</b>
475-3929	11235	3-1/2"	<b>3.53</b>
475-4929	11245	4-1/2"	<b>4.12</b>

### S. PARKER HARDWARE

#### Cylinder Hasp Locks

Locks garage doors, gates, tool sheds, etc. Eliminates need for a padlock. A quarter turn locks it. Uses key to unlock. Chrome plated steel, carded with all required screws. Lock is permanently attached to the hasp, so it cannot be lost.





Order #	Item #	Size	Price
390-0034	P AR 17264 KD	4-1/2"	<b>\$14.10</b>

## Master Lock

#### MASTER-475.

4 pin tumbler, 1-3/4" wide laminated steel padlock combined with a sturdy 4-1/2" steel hasp & heavy slide bolt. **\$23.08**

555-1703	475-D KD
----------	----------




#### Padlock Eyes


555-2778	#60	<b>\$4.08 pair</b>
555-2780	#60R	<b>4.60 pair</b>

## HASPS


## Master Lock



724



720, 721



722

## High Security Hasps

Solid Iron with Boron Alloy Staple


Order #	Item#	Size	Catalog Price
555-1707	724	7-3/4"	(U) <b>61.54</b>

## Speciality Hasps with Boron Alloy Staple

555-1708	720	single hinge	6-1/4"	<b>\$12.36</b>
555-1709	721	single hinge	8"	<b>17.26</b>
555-1710	722	double hinge	7-3/4"	<b>14.06</b>

## MASTER Security Hasps



Order #	MAS #	Size	Price
555-2770	702	2-1/2"	<b>\$4.48</b>
555-2772	703	3-1/2"	<b>5.30</b>
555-2774	704	4-1/2"	<b>6.60</b>
555-2776	706	6"	<b>12.50</b>



## OUTBOARD MOTOR

## MASTER

## Outboard Motor Lock




Laminated pin tumbler lock recessed in case hardened vinyl-clad steel tube.

Order #	Item	Description	PRICE
555-2754	430-KD	Brass Padlock	<b>\$36.22</b>

## TRAILER LOCKS


## Master

See "PADLOCKS" Section for Master Trailer Locks



## KEY BLOCKS

### Kee-Bloks MAJOR Manufacturing Co.



**LA100 FITS:** Schlage Rhodes & Oly; Arrow Sierra; Sargent LN; Kwikset Winston; Falcon DG and many others!

**MAL-A100.** Blocks all existing keys to a knob lock in seconds. Portable, light, strong.

527-0101	MAJ-A100-KD	<b>\$45.50</b>
527-0100	MAJ-A100-KA MMC15	<b>45.50</b>

### LA100 Kee-Blok

#### Blocks All Existing Keys to a Lever Handle Lock in Seconds

Fits most lever handle locks; Prevents entry of any existing keys; Portable; High strength Aluminum Alloy; Silver Coated.

527-0010	MAJ-A200-KD	<b>\$57.50</b>
527-0020	MAJ-A200-KA MMC15	<b>57.50</b>

## PUSH LATCH


### GLYNN JOHNSON

#### Push Pull Latches

Originally designed for hospital safety and convenience, the HL6 can also be used in schools, nursing homes and other locations requiring label door construction where easy access is desirable. Also can be used in handicapped person areas. Non-handed.




- **For Doors:** 1-3/4 to 2-1/4" • **Escutcheons:** 2-9/16" x 4-1/2"
- **Door Prep:** Government 161 cutout • **Bolt:** 1/2" throw
- **Backset:** 2-3/4 or 5" • **Levers:** 1-1/2 x 4-1/2
- **Projection /door:** 2-1/2 min., 2-5/8" max.



Order #	Item #	Backset	Price
330-0006	HL6-US26D	2-3/4"	<b>\$341.90</b>
330-0010	HL6-US26D	5"	<b>341.90</b>


### CORBIN RUSSWIN

#### Hospital Push/Pull Latches



Modern design push-pull set is operated by a simple push from one side and a pull from the other. Primarily designed for hospital use, it may be used on any door

requiring push-pull operation.




Reversible. 5" backset.  
Use on 1-3/4" doors only.  
U.L. Listed for Classes A, B, C, D and E labeled doors.  
Escutcheons: 6-1/2" x 5".  
Projection: Pull lever- 3-3/4";  
Push lever- 1-3/4".

Order #	Item #	Price
195-0588	860-26D	<b>\$633.60</b>

## SLIDING DOOR

### ULTRA HARDWARE

## Chrome Sliding Door Locks



7-1/4" long by 7/8" wide. 6-5/8" hole center to center. Inside locking mechanism, outside with knock-out plug (for use with key plug option). Illustrated with LUS-19 key plug for outside key operation - order key plug separately.

**Cylinder not included, order separately.**

515-2312	LUS-1425 Basic Lock	<b>\$13.54</b>
515-0019	LUS-19 Keyed Cylinder for 1425 above	<b>6.50</b>

## SUNCOAST SECURITY

**SUNCOAST  
SECURITY**

## Billy Buttons Sliding Glass Door Locks

Once installed,  
the door stays put.

Sold only to locksmiths,  
not available in stores.

### Finishes:

- Durotonic,
- White,
- Silver Grey

**NEW**

**CLOSED**




Order #	Item #	Catalog Price
855-0010	BillyButton Silver	<b>\$3.46</b>
855-0020	BillyButton White	<b>3.46</b>
855-0030	BillyButton Duro	<b>3.46</b>



## HITCH SAFE

### Hitch Safe



## HITCH SAFE

**Never Be Locked Out Again!**

### Secure, Concealed Key Storage

Secures spare car, boat, and even home keys.

Secure your valuables during outdoor sports

Secures license, credit cards, and cash.

### Secures INSIDE 2" hitch receiver



- Easily set your own combination
- Secure: 10,000 possible combinations
- Secure: Solid metal construction and secured inside solid metal hitch receiver
- Easy to install and use
- Attractive dust cover conceals and protects
- Stores up to 9 keys
- Stores up to two cards - credit cards and/or driver's license
- Utilize and protect the gaping hitch receiver hole with something functional.

Patented Hitch Pins secure HitchSafe via sliding bars from inside requiring removal of combined drawer to access. Combination on the drawer can easily be changed once the drawer is out.

Order #	Item #	Catalog Price
376-0001	HS7000	<b>\$113.94</b>

## S & G

## SARGENT & GREENLEAF



## THE BRUTE®

### Electro-Mechanical Locks

A Heavy duty, surface mounted, electro-mechanical lock that is specifically designed for use with Sargent & Greenleaf Code/Tronic® III access control devices. It can be operated by any remote control system that meets its voltage and current requirements. For intermittent duty use only (30 second maximum hold open time). The Brute® is a fail secure device.

Voltage Requirements: 24 VDC

DC coil resistance: 6 OHMS

Current: 5.5 to 6.5 AMPS

Minimum recommended wire size: 18 gauge

The Brute® uses a heavy duty 12VDC solenoid. The 24VDC voltage requirement increases bolt retraction force and will not harm solenoid.

With #1 Strike. For Inswinging Door.

Order #	Item #	PRICE
735-8497	SRG-8497-100	<b>\$867.86</b>