MISC. & COMMERCIAL HARDWARE

Index A



Adapter Plates	15,17
Adaptor Rings	4
Aluminum Thresholds	24,25
B	
Blank Channels	14
С	
Continuous Hinges	10, 11
Cylinder Guard Plates	19
Cylinder Guards	7,22
D	
Door Bottom Sweeps	10,25
Door Bumpers	20
Door Holders	7,18
Door Jamb Armor	2,3
Door Jamb Reinforcers	19
Door Reinforcers	14, 15, 16
Door Stops	18,20
Door Viewers	23
Drip Strips	26
Ε	
Elbow Catches	18
Electric Strike Boxes	9
Energy Transfer Hinge	12
Escutcheons	23
F	
Filler Plates	4,17
Filler Plate Sets	23
Fire & Smoke Seals	26
Floor Dome Stops	7
Н	
High Security Strikes	16, 17
Hinge Pins	16
Hinges	10, 12, 13
Hole Covers	17

Kick Plates 6 9 Knob Protectors L Latch Guards 17 Latch Protectors 5,16 Lever Adaptors 8 Lip Strikes 17 Lock Blockers 22 Μ Modernization Kits 23 Ν Neoprene Sweeps 25 Nylon Brush Seals 26 0 Offset Pivot Sets 20 Р Pivots 20 Pull Plates 6 **Push Plates** 6 R 5 **Rod Protectors** Rosettes 23 S Scar Plates 4 Strikes 18,21 Т 20 Thresholds


0

0

ō

0

Κ



SECTION

V



Vendors	
ADAMS RITE	20
COMMAND ACCESS	12
DON-JO 4, 5, 6	, 16, 18
DOOR JAMB ARMOR	2,3
DU SEUNG	23
EXTEND INC.	8
HAGER	10,25
HPC	7,22
IVES	7
KEEDEX	9
KWIKSET	23
LINDUSTRIES, INC.	8
MAG 14, 15, 16, 17	, 18, 23
MAJOR	19
MARKAR	11
NGP 24	, 25, 26
NSP	21
PBB HINGES	12
SELECT HINGES	13
S. PARKER	6
SENTRY	22
STANLEY	12
WEISER	23
Vinyl Seals	25
W	
Wall Door Stops	7
Weldable Gate Boxes	9

4

Hole Fillers

DOOR JAMB ARMOR DOOR JAMB ARMOR DOOR JAMB ARMOR

DOOR JAMB ARMOR



THE MOST EFFECTIVE WAY TO REPAIR AND HELP PREVENT KICK-IN DAMAGE

Fix it once, secure it forever Install full set in less than an hour

- Inexpensive and easy way to fix doorjambs that have already been broken and help prevent it from happening again.
- Helps landlords and apartment owners secure vacant properties and prevent vandalism and theft during renovation.

Standard Universal Ultra



2 3

1. Jamb Shield

The backbone fo the set, the Jamb Shield is a sleeve that wraps around the lock side of the doorjamb, making it extremely difficult to kick in. Jamb and hinge shields secure to stud with 3-1/2" included screws.

All Jamb Shields are 48" long.



DOOR SHIELDS

This WILL Make You Money

Every customer that replaces their locks should buy this product.

This will help you sell more high-end deadbolts

Add it on to every door that you sell

Not available in the "Big Box" stores

2. Hinge Shield

Fits around the ex-

isiting door hinges and help prevent hinges from being

kicked in.



HINGE SHIELD

3. Door Shield Reinforces the lock area of the door and helps prevent the door from being pried open or splitting when kicked.

DOOR JAMB ARMOR DOOR JAMB ARMOR DOOR JAMB ARMOR

DOOR JAMB ARMOR

STANDARD: Standard Jamb Shield, 2 Hinge Shields and Standard Door Shield. Designed for doors with standard (5-1/2" on-center) lock spacing. Best for reinforcing or repairing newer doors.

UNIVERSAL: Universal Jamb Shield, 2 Hinge Shields and Universal (2-piece) Door Shield. Designed for doors with non-standard (5" to 12" on-center) lock spacing

ULTRA: Ultra Jamb Shield, 2 Hinge Shields and Ultra (2piece) Door Shield. Features knock-out holes to fit almost any lock spacing (or multiple deadbolts). Works on just about any door with a wooden doorjamb.

Ordering Information

FIX-A-JAM For Doorjamb Repair


Interior Doors: 1-3/8" thick Exterior Doors: 1-3/4" thick



FIX-A-JAMB

Order #	Item #	Туре	Length	Cat.Price
075-0030	FAJ-INT-10000	Interior	24"	\$59.94
075-0035	FAJ-EXT-10000	Exterior	36"	83.94

Order #	Item #	Door Thickness	Catalog Price
075-0005	SET-ULT-10002	Ultra COMBO Door Jamb Armor Set Includes Ultra Jamb Shield, Ultra Door Shield Set (2-piece set for 2-3/8" Backset), and 2 Hinge Shields. Lock Spacing: 4" to 31"	\$179.94
075-0010	SET-UNI-10002	Universal COMBO Door Jamb Armor Set G2 Includes Universal Jamb Shield and Universal Door Shield Set (2-piece set for 2-3/8" Backset). 2 Jam Shields. For 4" to 21" Lock Spacing.	149.94
075-0020	DJA-ULT-10002	Ultra DJA: Door Jamb Armor Set Includes 1 Ultra Universal Jamb & Hinge Shield and nineteen 3.5" screws. Lock Spacing: 4" to 31"	161.94
075-0025	DJA-UNI-10002	Universal DJA: Door Jamb Armor Set G2 Includes 1 Universal Jamb Shield & Hinge Shield, and nineteen 3.5" screws. made to fit doors with 4" to 21" lock spacing Fits jambs for 1-3/4" thick doors	131.94
075-0040	DSH-UNI-1000	Universal Door Shield Set (2 piece set) Designed to fit doors with non-standard lock spacing and 2-3/8" backset. Includes 2 Universal Door Shields and four 1-5/8" screws Fits Any Lockspacing	27.54
075-0045	DSH-STD-1055	Standard Door Shield Set with 5.5" on-center lock spacing and 2-3/8" backset. Comes with one 1-5/8" screw	25.14
075-0050	DSH-ULT-10002	Ultra Door Shield Set (2-piece set) Designed to fit doors with non-standard lock spacing and 2-3/8" backset. Includes 2 Universal Door Shields and four 1-5/8" screws. Fits Any Lockspacing	29.94



DON-JO MISC. HARDWARE DON-JO

Bolt

Latch Protector For Aluminum

Entrance Doors.

Solves pull handle interference.

- Reversible
- 3/8" offset
- Fits over cylinder lock removal NOT required
- 12 gauge (.104) steel
- Hand carriage bolt and rivet supplied
- No specific tools required Dimensions: 2 5/8" x 7" x 1/8"


Order #	Item #	Price
227-0300	DJO LP 307 DU	\$16.84
227-0305	DJO LP 307 SL	15.80

Pin Latch Protectors for Outswinging Doors.

- Solid steel pin prevents spreading of door from frame.
- Pin is welded on back leaving no visible point of attack from outside.
- Extra large cut out accepts up to 3.5" rose.
- Fits 2-3/4 and 2-3/8" Backsets.
- 12 gauge (.104) steel

Order #	Item #	PRICE
227-0130	PLP-211DU Duro	\$17.10
227-0135	PLP-211-26D Satin Chrome	16.26

Short Latch Protector for Outswinging Doors



Use where larger latch protection won't fit. May be used on hollow metal door using ASA strike plate. 3" x 6".

Order #	Item # Finish	PRICE
227-0060	SLP-206-SL Silver Coat	ed \$15.28
227-0065	SLP-206-BP Brass Plate	d 16.84

DJO Outswinging Aluminum Doors

Fits Adams-Rite latch lock. Reversible. 1/4" offset, 1-7/16" hole, 1-1/8" backset, heavy gauge steel, 2-5/8 x 12".

227-0050	LP-312-SL Silver Coated	\$19.18
227-0055	LP-312-DU Duronodic	19.18



• Installs with $#6 \ge 3/4$ " screws directly into the door

• Installs on any type of wood, metal, or plastic door, any thickness. Covers the latching bolt and lower portion of the vertical rod assembly.

- #83
- Fire rated Stainless


#8I Right hand Left hand single unit single unit

#85 Rod Cover

Price

 $^{(1)}$

Steel, Satin F	inish	
Order #	Item #	Description
227-0075	#81	2-1/8" projection



HPC

MISC. HARDWARE




HPC

Latch

Lock

on Doors




ODG-6. Nickel

plated steel. Guard plate is screwed directly onto edge of door. Keeps prying tools away from the latch.

Order #	Item #	PRICE
360-0260	HPC-ODG-6	\$18.50

Doors **Opening Out.**



Complete with all necessary hardware.


OVDG. Bright nickel plated. to be used on outswinging vestiblule doors with projecting door casings. For doors not flush to the frame.

Order #	Item #	Offset	Price
360-0264	OVDG-11	3/16"	\$23.50
360-0265	OVDG-12	3/8"	23.50
360-0266	OVDG-13	7/16"	23.50
360-0267	OVDG-14	9/16"	23.50

HPC GUARD PLATE

Strongest and most popular guard plate. 14" long made of 2 welded pieces of steel. Baked brown enamel finish. Complete with all necessary hardware.

Order #	Item	PRICE
360-0508	VDG-10	\$25.90




HPC Narrow Stile Cylinder Guard Plate ADG-1

Duro finish, case hardened


No special tools required.

plate & bolts.



Non-handed.	1	· ·
Order #	Item #	Price
360-0007	(U) HPC-ADG-1	\$29.00

IVES



New Ives Floor Dome Stops

One inch hei	ght. Cat. Price: \$5.40
Order #	Item #
405-0005	FS436 US26D



Door Holders 270C, Cast Brass. 1-7/16" x 2-1/8"

Base, 4-1/8" Arm. Non-stock, Available by special order.

Kick Down Door Holders 4"

Special Order | 270D - 26D



LEVER ADAPTORS MISC. HARDWARE EVER ADAPTORS

LEVER ADAPTORS



LEVERON[®] Lever Adaptors Fit 3 Billion Standard Doorknobs

- Approved by: Veterans Administration, TEE-84-036 Arthritis Foundation
- FDA Approved for Hi-Glow per 21 CFR 178.3297 (special order finish)
- Made in USA of High Performance Polymer, US Patent #4.397.489.
- · Tougher than any die cast metal lever
- Will not corrode, in fact, nothing will stick to it, not paint, adhesive, magic marker, ore even metal plating.
- Leveron's polymer is a better electrical insulator than porcelain, as well as a low conductor of heat.

LEVERON[®] Converts Existing Doorknobs to Lever Action for Comply with ADA

- ANSI A117.1 4.13.9 Door hardware
- · Installed quickly without removing doorknob
- One size fits all standard knobsets, right, left, inside, outside
- Engineered resilience to protect knobsets from tough use
- · Meets handicapped, fire and safety requirements

Features a patented split-ring which opens and rejoins around teh neck of the knob. The Leveron handle with molded gaskets fits over the knob and is threaded onto the plit-ring, then tightened securely with a cusom wrench (included). The "invisible" fastening system and resilient construction minimizes theft or damage from vandalism.

Order #	Item #	Finish	Catalog Price
245-0050	#0103	Silver	\$48.00
245-0051	#0104	Bronze	48.00
245-0052	#0102	Brass	48.00

EXTEND INCORPORATED **HANDI-LEVER**

Converts Door Knobs to Levers for Easy Access.

- Opens with one easy motion.
- Does not interfere with existing lock mechanism.
- Installs in minutes, no special tools required.

• Constructed of strong, Heavy Duty Cast Aluminum.

- No modification to present doors and locks; slips easily onto existing conventional round door knobs.
- Lever held securely with cap head screw tightened by allen wrench (not-supplied).
- Sold in pairs. For 2-1/8" diameter knobs.


• Aluminum finish.

Order #	Item #	Catalog Price
276-0001	EXT-200-218	\$86.80 per pair




KEEDEX

KEEDEX Weldable Gate Boxes



ENGINEERED



SINGLE LOCK BOX

2-3/8" backset: 2-1/8" hole.

Box size: 3-1/2" H x 4-1/2" L x 1-5/8" W.

Order #	Item #	Backset	Price
435-0040	K-BXSGL	2-3/8"	\$9.92
435-0045	K-BXSL234	2-3/4"	28.40

K-BXA/R. FOR ADAMS RITE

1-1/8" backset.Lock box for the Adams Rite 1850S, 1851S, 4710 & 4711. Fits the Assa 8508, 8513 & 8518. Also fits International DH1822 & DL 4511. Box dim: 7" H x 1-15/16" L x 1-3/4" W.

Order #	Item #	Price
435-0050	K-BXA/R	\$29.24

K-BXSIM. FOR SIMPLEX1000 SERIES.

Box dimensions: 9-1/4" H x 5-1/2" L x 1-7/8" W. 435-0055 K-BXSIM \$74.76

Weldable Gate Box K-BXRHO

for Schlage Rhodes.


Order #	Item #	Price
435-0046	K-BXRHO	\$47.60

Aluminum Gate Lock Boxes

With the growing trend in the use of aluminum fences and gates, Keedex now provides aluminum versions of their gate lock boxes.

Aluminum Weldable Gate Boxes:


Order #	Item #	For	Price
435-0100	K-BXIL-AL	Ilco 70011	\$120.16
435-0105	K-BXSIM-AL	Simplex	125.28
		1000 Series	
435-0110	K-BXSGL234-AL	Single Gate Box	68.92
		2-3/4" Backset	



KEEDEX Knob Protectors

KEEDEX # K12. Saves expensive locks and levers. 435-0012 KEE-K12 \$47.44

Electric Strike Boxes



K-BXES1. For installing Eff 11BS, Rofu 1106 & Trine 005 electric strikes.

Box dimensions: 3-3/4" H x 3-1/2" L x 1-9/16" W. 435-0060 K-BXES1 \$30.30

K-BXES2. For installing Eff3314, 4114/4314, 5113/5314 & 7114; Rofu 1402, 1702 & 3402 electric strikes. Dim: 5-1/16" H x 2-3/8" L x 1-3/4" W. 435-0065 K-BXES2 \$29.66

K-BXES3. For the Adams Rite 7800, 7820, 7830, 7840 & 7860 electric strikes.

Box dimensions: 6-7/16" H x 2-3/8" L x 1-3/4" W. 435-0070 K-BXES3 \$30.04


K-BXES4. For Von Duprin 3140 & 6211; Folger Adams 712 & 712-75 electric strikes. Box dimensions: 6-7/16" H x 2-3/8" L x 1-3/4" W. 435-0075 BXES4 \$35.08

HAGER

HINGES

HAGER HINGES

Give us a Call for FULL MORTISE STANDARD WEIGHT




HINGES, LIGHT STRAP HINGES, HEAVY STRAP HINGES . . . All of Your Hinge Needs.

If its not listed, we can get it!

Roton Continuous Hinges

Visit www.hagerhinge.com/ for more information on other models of continuous hinges available.



Standard Duty Commercial Grade

Manufactured with thrust bearings spaced along the hinge length on 5-1/8" centers. The 83" Roton Hinges carries the door weight on SIXTEEN bearings.

HD Heavy Duty Roton Hinges

Manufactured with thrust bearings on 2-9/16" centers. The 83" hinge carries the door weight on THIRTY-TWO bearings. Supplied with staggered screw holes to suit heavy duty applications such as high traffic entrance ways.

Check the Load

Divide the weight of the door (including hardware), by the number of bearings in the Roton Hinge under consideration.


- Low frequency interior doors: Med. frequency interior doors: Med frequency exterior doors: High frequency exterior doors:
 - 20 lbs per bearing 15 lbs per bearing 10 lbs per bearing 7.5 lbs per bearing

83" length. Anodized Aluminum finish. BZ: Bronze Finish

Order #	Item#	Description	Cat. Price
365-0100	780-210-83	Standard Duty	\$273.84
365-0105	780-210-83 BZ	Standard Duty	369.90
365-0200	780-157HD 83	Heavy Duty	338.36

HAGER

HAGER Hinges Full Mortise Hinges



Standard Weight, Plain Bearing

Steel with Steel Pin. For use on medium weight doors requiring low frequency service. Not for use with door closer. Five knuckle non-rising removable pin, button tip and plug. 4.5" x 4.5". (ANSI A8133)

1.5 A 1.5 . (1			
365-0010	HGR 1279	US26D	\$14.50

HAGER HINGES Hager BB1191 NRP

Standard Weight Ball Bearing 4.5" x 4.5" Hinge

- ANSI A5112 (Stainless Steel)
- Two ball bearings
- Non-removing pin
- Hole Count: 8
- Stainless Steel with Stainless Steel pin
- Hinge Size (inches): 4-1/2 x 4-1/2. (mm): 114 x 114
- Gauge of Metal: 0.134
- Screw Size (Machine): 1/2 x 12-24; (Wood): 1-1/4 x 12

Order #	Item #	Catalog Price
365-0020	BB1191-US32D-NRP	\$66.54

Ball Bearing, Standard Weight,

 4.5" x 4.5" Steel with steel pin ANSI A8112.
 365-0030
 HGR BB1279
 26D
 \$26.32

4.5" x 4.5" HAGER HINGES-

Available in our Atlanta Warehouse.

Order #	Item # Finish	Price
365-0040	1279 LS	\$11.18
365-0050	BB1279 USP-NRP	26.12
365-0060	BB1279 LS	22.72

1 - 1/4"


3/8

Hager Door Bottom Sweeps - * *-1/4"

Available in our Atlanta Warehouse.

Clear anodized Aluminum

w/neoprene insert.				
Order #	Item #	Pı		



MARKAR

Markar **Continuous Hinges**


can be ordered in a large variety of configurations. Visit markar.com for more information.

Hinge Prefixes

- Edge Guard EG Edge Mount FM
- Full Serface FS
- HG Hing/Guard
- HM Half Mortise
- HS Half Surface
- SC Swing Clear

Hinge Series

- The series number indicates the type of hinge and base material used: 100 Aluminum barrel
- hinges with stainless steel pin
- 200 Plain steel barrel hinges with stainless steel pin
- 300 Stainless steel barrel hinges with stainless steel pin
- 400 Spring loaded aluminum toilet partition hinges
- 500 Stainless steel toilet partition hinges
- 800 Aluminum toilet partition hinges
- 900 Spring loaded stainless steel toilet partition hinges
- 1900 Reinforcing pivots
- 2000 Aluminum geared hinges with stainless steel bearings
- 2200 Aluminum geared hinges for 2" doors
- 3500 12 gauge stainless steel pin and barrel detention hinges



- Edge mount (formerly full mortise) 00
- 01 Full Surface, 1/8" offset
- 02 Full surface, flush
- Half surface, 1/8" offset 03
- Half mortise, 1/8" offset 04
- Edge mount hinge/guard 05
- Half mortise hinge/guard 06

- 10 Swing clear hinge/guard
- Edge mount, self-aligning 11

Other number are used for specific applications

MARKAR

Available in just about any finish you require.

Call your sales rep for more information or visit www.markar.com

STANLEY

HINGES



Stanley		_		
•	O		Ô	
	O		Ô	
Full Mortise				
Hinges	Ø		Ö	
Standard Weight,	O		0	
Plain Bearing				
Steel with Steel Pin. 4.5" x 4.5		.		
846-0010 STN F179		\$6	5.42	

Standard Weight, Ball Bearing

Non Removable Pin, Stainless Steel with Stainless Steel Pin. 4.5" x 4.5" :

846-0020 FBB191 NRP 32D \$57.72
--

Steel Ball Bearing PB81

PBB

World Class Hinges

• 4.5" x 4.5"

Wrought steel, Full Mortise
Plain Bearing (PB). For use on standard weight doors or doors receiving low frequency usage.

• **Ball Bearing (BB).** Use on standard weight doors

receiving average frequency usage. Must be used on doors in conjunction with door closers and on all fire rated openings.

4.5" x 4.5"


Order #	Item #	Catalog Price
668-0010	PBB PB81 26D	\$5.40
668-0020	PBB BB81 26D	7.40
668-0030	PBB BB81 USP	7.40

Comparison			~~~~~	~~~~~~	~~~~~	~~~~~
Туре	PBB	ANSI	Hager	McKinney	Stanley	Bommer
Steel Ball Bearing	BB81	A8112	BB1279	TB2714	FBB179	BB500

1279

A8133

Command Access



Energy Transfer Hinge

Ideal for doors that require concealed low voltage transfer of power from the door frame hinge jamb to the door. Common applications include power to:

F179

5000

- Electrified Locks
- Electrified Exit Device Trim

T2714

- Electrified Latch-retracting Exit Devices
- Any application where low voltage power must be transferred from the hinge jamb to the door.
- ETH4W 4 wire energy transfer hinge
- 26/19 guage/strand wire 1 amp. Continuous rating
- 3 year manufacturer's warranty 4.5" x 4.5"

Order #	Item #	Catalog Price
185-0001	ETH-4W4545-US26D	\$160.00

SELECT HINGES

HINGES


SELECT HINGES





Material:

Extruded 6063 T6 aluminum allow with self-lubricating polyester thrust bearings.



Ratings: HD

- Heavy Duty. Tested per BHMA

standards for high-frequency or heavy, medium-frequency applications. For doors 48" wide in 16 gauge hollow metal or 1/8" aluminum weighing up to 450 pounds without frame or door reinforcement; up to 600 pounds with the use of Rivnuts in the frame and door.

Closers: Conventional overhead surface, concealed sliding arm overhead or floor closers may be used with SELECT hinges. Pivot-type floor closers (with a fixed, conflicting center pivot) must be replaced.

BHMA Certification: SL11HD geared continuous hinges conform to BHMA Standard ANSI/BHMA A156.26 2006 Grade 1

SL11 83" Hinge Screw Count: 19 door & 19 frame screws Grade 1 Continuous Hinge, Concealed, Flush Mounted for 1-3/4" Doors. 83" Length.

Clear CL, Bronze BR.

Order #	Item #	Catalog Price
802-0005	SL11 CL HD 83"	\$147.60
802-0010	SL11 BR HD 83"	190.80





SL53 Half Surface Geared Hinge

Material:

with self-lubri-

cating polyester

thrust bearings.



Ratings: HD - Heavy Duty. Same as SL11

Closers: Conventional overhead surface, concealed sliding arm overhead or floor closers may be used with SELECT hinges. Pivot-type floor closers (with a fixed, conflicting center pivot) must be replaced.

SL53 83" Hinge Screw Count: 10 door & 19 frame screws Grade 1 Continuous Hinge, Half Surface, Narrow Frame Leaf

Order #	Item #	Catalog Price
802-0015	SL 53 CL HD 83"	\$211.20
802-0020	SL 53 BR HD 83"	276.00




DOOR REINFORCERS

MAG



INSTALL-A-LOCK



Door Reinforcers for Deadbolt & Key-in-Knob Locks

All units solid 22 ga. brass, bronze, or stainless steel, fit square of bevel edge doors. Edge prep recessed to accept all standard latches 1" or 1-1/8" wide x 2-1/4" high. Latch mounting

holes 1-5/8" on center & tapped to accept 8-32 machine screws (furnished).

For installing cylindrical door locks with 2" or 2-1/8" bore. (Strike included). **\$25.22**

1-3/8" Door		1-3/4" Door			
Order #	Item	Order #	Item	Backset	Dim.
520-0012	1S	520-0022	2S	2-3/8"	4" x 9"
520-0014	1AB	520-0024	2AB	2-3/8"	4" x 9"
520-0018	1PB	520-0028	2PB	2-3/8"	4" x 9"
520-0032	3S	520-0042	4S	2-3/4"	4.25 x 9"
520-0038	3PB	520-0044	4AB	2-3/4"	4.25 x 9"
		520-0048	4PB	2-3/4"	4.25 x 9"

For Schlage Rhodes & Arrow Sierra Lever Locks. \$35.06 --- 520-0045 4PB-2 2-3/4" 4.75 x 9" --- 520-0046 4S-2 2-3/4" 4.75 x 9"

For Cylindrical Deadbolts

Finishes:S:Stainless SteelAB:Antique BrassPB:Polished Brass




with 1-1/2" bore.

\$16.10 _							
(U) 1-3/8 "	Door	1-3/4" Door	Item	Backset	Dim.		
520-0052	5S	520-0062	6S	2-3/8"	4" x 4.5"		
520-0072	7S	520-0082	8S	2-3/4"	4.25 x 4.5		

For Cylindrical Deadbolts

with 2-1/8" bore. \$16.10

1-3/8" Door		1-3/4" Door	r	Backset	Dim.		
520-0512	51S	520-0612	61S	2-3/8"	4" x 4.5"		
520-0514	51AB	520-0614	61AB	2-3/8"	4" x 4.5"		
520-0518	51PB	520-0618	61PB	2-3/8"	4" x 4.5"		
520-0712	71S	520-0812	81S	2-3/4"	4.25 x 4.5		
520-0718	71PB	520-0818	81PB	2-3/4"	4.25 x 4.5		





ю. О

Blank Channels

Mounting holes only.

1-3/8"Door (U)		1-3/4" Dooi	r	Dim.	Price
		520-0402	40S	4.25" x 9"	\$25.22
		520-0408	40PB	4.25" x 9"	25.22
520-0702	70S	520-0802	80S	4.25" x 4.5	16.10

Mortise Locks (Fa	ce Plate: 1.25"	' x 8") 2-	-3/4" Backset	
	520-5042	504S	5" x 12"	\$54.74

For Simplex 1000 & 5000 Series Locks & Alarm Lock DL-2500

2-1/8" Bore, 4-1/4" from Bottom, 2-3/4" Backset, for doors 1-3/4" thick. Size: 5" x 14".


14" for Mortise Conversion.

Order #	Item #	Price
520-1026	1000-14S	\$49.18
520-1005	1000-14AB	49.18
520-1003	1000-14PB	49.18

For Key in Knob Conversion.

Size: 5" x 9".

2-3/4" Backset, 1-3/4" Thick Doors.			
520-1009	(U) 1000-9AB	\$35.06	
520-1032	1000-98	35.06	



For Cylindrical Door Lock

and Deadbolt in One Unit.

2-1/8" top & bottom bores. 3-5/8" between centers. **\$28.04** For 1-3/4" Doors:

Order #	Item	Backset	Dim.	Catalog Price
520-4812	481S	2-3/4"	4.25 x 9"	28.04

MAG

MISC. HARDWARE



MAG RETROFIT SOLUTIONS

Door Reinforcers for Electronic Locks

Wrap Around - 1-3/4" Door

5196-14.

- For Schlage King Cobra
- Overall Size: 5" x 14"

KC5196-14.

- For Schlage King Cobra
- Overall Size: 5" x 14"

1027-14.


- For Alarm Lock T2 & T3
- Overall Size: 5" x 14"



b. 0002D, 1	D. I ononed Diass		
Order #	Item	For	Cat Price
520-5196	DJO 17-S-CW	Schlage Cobra	\$36.34
520-5199	DJO 17-PB-CW	King Cobra	38.94
520-5200	MAG 1027-14S	T2 & T3	49.18
520-5201	(U) 1027-14PB	T2 & T3	49.18

DON-JO

Residential **Door Reinforcers**



For Deadbolts or Door Locks with 2-1/8" Bore Catalog Price: \$15.40

Order #	Item #	Backset	Door Thickness	Dim.
520-1035	2051-SV	2-3/8"	1-3/8"	4x4.5
520-1040	2051AB			
520-1045	2061SV	2-3/8"	1-3/4"	4x4.5
520-1050	2061AB			
520-1055	2081SV	2-3/4"	1-3/4"	4.25x4.5
520-1060	2081AB			

🗂 UNI-FORCE

Č,	Door reinford	cement for dead	l bolt & key in k	nob locks.
	Order#	Item #	For Doors	Price
	520-0102	MAG-10S	1-3/8"	\$9.08
õ	520-0108	MAG-10PB	1-3/8"	9.08
0	520-0202	MAG-20S	1-3/4"	9.08
~	520-0208	MAG-20PB	1-3/4"	9.08





Traditional Door Reinforcer.

Designer Series (Visual Pack) For all locks with 2-1/8" bore.


> Price \$23.80

For 1-3/4"	thick doors. 2-3/	8" Backset	, Size: 4" x 6"
Order #	Item #	Finish	Catalog
520-2000	(U) 2066-ABV	US5	\$21.02
520-2005	2066-PBV	US3	21.02

MAG Door Reinforcers

For Schlage Rhodes, Arrow Sierra, Corbin Russwin 800, Sargent 10, Yale 5400N. 2-3/4" Backset, 1-3/4" Door Thickness, Overall Size: 4-3/4" x 4-1.


Door Thicknes	s. Overall Size. 4-3	<i>"</i> +
Order #	Item #	
520-0081	81-S-2	



MA

DOOR REINFORCERS Covers Simplex Prep.

2-1/8" Bore 4-1/4" from Bottom, for Key-in-Knob. Overall size, 5" x 14"




2-3/4" Backset, 1-3/4" Door Thickness.

Order #	Item #	Price
520-0985	1004-14S US32D	39.26

Adapter Plates

2-3/4" Diameter For Installing Schlage Deadbolts with 1-1/2" bo С



bore in a 2-1/8	$3^{\prime\prime}$ Bore (2)	per card)
Order #	Item #	Price
520-2130	8863-C chrome	\$5.56 cd
520-2135	8863-B brass	5.56 cd






MAG/DON-JO MISC. HARDWARE

MAG/DON-JO





Kaba-Ilco **E-Plex 2000** and E-Plex 5700 **Door Reinforcers.**

Stainless Steel finish 2-3/4" backset for 1-3/4" Door Thickness Overall Size: 5" x 14"

Order #	Item #	Fits	Catalog Price
520-5210	1005-14S	E-Plex 5700	\$46.42
520-5205	520-S	E-Plex 2000	\$46.42

DON-JO

For Installing the Best 93K Lever Lock, 73K Lockset, Sargent 6500 Series

2-3/4" Backset, 1-3/4" Door.

Dimensions: 4.75" x 5.5". "S" finish: 630.				
Order # Item # Catalog Price				
227-1060	5K-S-CW	\$22.04		

Flat Goods Note:

When a manufacturer discontinues an item, if we find a suitable replacement, we will substitute the item.

Example: You order a MAG plate that was discontinued, we find a Don-Jo replacement and send it.

HINGE PINS Don-Jo **Hinge Pins/Window Bolts**

Locked door can't be removed from iamb even with hinge pins removed. Acts like a deadbolt on the hinge side of the door. For Wood or Metal.



#10 Head

Order #	Item #	Head Size	Catalog Price
505-1185	CHP-100BP	#12	\$3.88
505-1186	RHP-100BP	#10	4.10

Don-Jo


High Security Strikes

2-SDS: 1-5/8" x 8" for 1-3/4" door

o 1 "	-	
Order #	Item	Cat. Price
110-2000	2-SDS-8 BP	\$13.58
110-2500	2-SDS-8 SL	13.58
-		


Don-Jo Interlocking Latch Protectors

2-SDS



For inswinging doors. Protects latch, interlocks door & frame, Resists jimmying & prying, 12 gauge steel construction. One way screws.

,	J) ILP-206-BP 6" Brass Plated	\$18.00
227-0045	ILP-206-SL 6" Silver Coated	18.20
227-0040	ILP-212-SL 12" Silver coated	20.16



MISC. HARDWARE





Latch Guards

7" Latch Guard.


For in-opening doors, all backsets, deadbolts and key-in-knob locks. Reinforces door and frame, prevents spreading of frame. Hardened concealed screws.

Order #	Item #	Catalog
520-2020	MAG 8840-B	\$13.98
520-2025	MAG 8840-C	13.98



6" Latch Guard

For out-opening doors, all backsets, deadbolts and key-in-knob locks. Protects latch or bolt, heavy gauge steel. Accepts up to 3-1/2" rose. 520-2035 | MAG 8845-C | **\$11.18**



11-3/4" Universal Latch Guard

Out-opening doors; single locks, double locks up to 6" on center, combination locks, mortise locks and access control locks. Protects latch or bolt, conceals lip of existing strike, reinforced mounting area, anti-spread security pin. 520-2045 | MAG 8850-C \$16.78



12" Removable Latch Guard Heavy gauge steel with anti-spread pins.

For Single or double acting doors with cylinder guard.


Order #	Item #	Catalog
520-2055	MAG 8854-AL	\$28.04



Latch Guard, Heavy Duty 7"

For Out Opening Doors All backsets, deadbolts and key-in-knob locks. Protects latch or bolt. Heay Gauge Steel, accepts up to 3-1/2" rose. 7/16" offset 12 GA. Carded

520-7010 8848-C \$12.58





Converts 86 Cut-out to 161 Prep 161 prep is centered on plate. 8" x 1-1/4"

1/4" thick. Individually polybagged with screws. 520-0140 (U) 8893-PC \$11.86



Adapter Plates

2-5/8" outside diameter. For rim or mortise cylinders. Covers up to 2-1/8" diameter hole. 1-1/4" inside diameter.

Order # Item # Catalog		
520-2100	MAG 8860-B	\$3.86




Hole Covers.2-5/8" outside diameter.
Covers 1/2" to 2-1/8" holes. Self-centering disk
prevents movement of plate.

520-2110	MAG 8868-B	\$7.66
520-2115	MAG 8868-C	7.66

Cover Plates. 3-1/2" Diameter

For 2-1/8" Bore Locks. Covers damaged door, changes 2-3/8" to 2-34" backset, changes 2-34" to 2-3/8" backset. 2 per card, C=Chrome, B=Brass.

	cura: e chronie, b bruss.				
520-7035 8865-C \$4.84					
	520-7040 8865-B 4.84				




Hole Cover: 2-5/8" Diameter

Fits 1-1/2" to 2-1/8" holes. Self centering disk prevents movement of plate. Carded. 520-7015 | 8868-PC | **\$5.96**



Replacement Lip Strikes


Full lip. For use on entry or interior doors, adjustable tang. Replacement strike for Kwikset, Schlage, Weiser, and most other brands. 18 ga. 2 per card. 520-7000 718-B \$2.78



2¹/₄ "



MAG/DON-JO MISC. HARDWARE MAG/DON-JO



520-9283

(U) 1506 695

11.06

•

Wall

Order #

MISC. HARDWARE



Door Jamb Reinforcers JAMB JACKET

Repairs and Covers Damaged Door Jambs

- Adds reinforcement to undamaged doors
- Covers standard 1/2" rabbeted jamb.
- Recessed accommodate T-strike
- 24" Long Plate Non-handed

Order #	Item #	Door Thickness	Price
527-0230	JJL-134-24	1-3/4"	\$39.50
527-0235	JJL-138-24	1-3/8"	39.50

STRIKEGARD



Easy ADD-ON Sale When Servicing Aluminum Doors!

Aluminum Door Jamb Reinforcer

Used to repair an aluminum door jamb that has been damaged due to a break-in or to reinforce a jamb as extra protection against forced entry. Easy installation by drilling six No. 20 holes in the door frame and using the steel pop rivets supplied with strike. 14 gauge cold

rolled steel, 5/64" thick. Powdercoat finish.

Order #	Item #	Finish	Catalog Price
527-0260	MAJ SGA-1	Aluminum	\$20.50
527-0265	MAJ SGD-1	Duranodic	20.50





ALUMA-GUARD

The new Aluma-Guard is designed to protect aluminum framed, glass, store front doors. It forms a shield that will protect both the latch area from attack and the lock cylinder from wrenching.

Mounting is easy with one carriage bolt in the top and a drive rivet in the bottom.



- Formed from cold rolled steel
- 6-1/2" high, 3-1/2" wide, and 7/64" thick.
- Can be installed with the lock still in the door.
- Powdercoat finish

Order #	Item #	Catalog Price
527-0005	AG5-A Aluminum	\$15.00
527-0006	AG5-D Duranodic	15.00

High Security Latch/Cylinder Guard Plates

ALUMAGUARD

Forms a Shield of Armor on Latch/Cylinder of Out- Swinging Aluminum Framed Glass Doors.

Protects from Caseknife, Jimmying, Cylinder Pulling, Wrenching, and Door & Frame Separation.

6-7/8" H x 4-1/8" Wide. Powdercoat finish. For outswinging offset hung aluminum doors.

Order #	Item #	Finish	Cat. Price
527-0120	MAJ AG1-A	Aluminum	\$37.00
527-0125	MAJ AG1-D	Duranodic	37.00

PIVOTS

MISC. HARDWARE

6



Full Surface Pivots

3/4" to center line of 4-1/2" hinge. Pin uses large pin and bushing. All pivots are handed.


Includes:

- 8 x MP-16 1/4-20 x3/4" Phillips flat head machine screws
- 8 x MP-18 No. 14 x 1-1/4" Phillips flat head sheet metal screws

• 2 x MP-22 1/4-20 x 1-3/4" sleeve bolts, and instructions.

TACO

Available in our Atlanta Warehouse.



Dome Door Stops

Pressure Cast Zinc, individuallypolypagged with wood screws and plastic anchors. Chrome plated

Order #	Item #	Price
875-0003	DS436 CMD	\$6.58



Heavy Duty Commercial Grade

T	hres	hol	ds. 5"	x 36", Aluminum finish
---	------	-----	---------------	------------------------

Order # Price Item # 875-0001 T-WS536A \$66.52

Available in our Atlanta Warehouse.


Concave Type Wall Door Bumpers



Pressure Cast Zinc, individually polypagged withwood screws and raul plug. Chrome plated

Order #	Item #	Price
875-0002	WB401 CMD	\$7.62

ADAMS RITE



LEFT HAND

RI	GHI	HAN	D
----	-----	-----	---

TACO


PIVOTS

Order #	Item #	Handing	Catalog Price
020-0050	B1923 US2G	LH	\$70.76
020-0055	B1923 US2G	RH	70.76



Engineered and designed for durability, style and versatility. All cases are aluminum. Pivots operate on

full race ball bearings.



Complete with 1/2" vertical adjustment. No possibility of door sag since entire weight of door rests on floor mounted pivot. Easy to install. Durable, all weather proof acrylic coating protects pivot from deterioration. Top portion has spring loaded hardened pin for easy assembly. When door is in locked position, these pivots are completely burglarproof. Easily installed or removed from door in only a few seconds.

FEATURES

- 1/8" Vertical Adjustment. • All-weather proof.
- · Completely theftproof, yet easy removable, and replaceable in unlocked position. • Non-handed.
- Smooth, precision-made select ball-bearing operation.
- Complete with screws, anchors, and mounting materials.

OP-27 (Cross Reference: Jackson J27)

	`				
r Doors	Fluch	with	Face o	of Frame	

For Doors Flush with Face of Frame			
844-0027	NSP OP-27 Alum	\$37.08	
844-0127	NSP OP-27 Duro	37.08	

OP-28

(Cross Reference: Jackson J28)

For Doors Recessed 1/8"			
844-0028	NSP OP-28 Alum	\$37.08	
844-0128	NSP OP-28 Duro	37.08	






DOOR GUARDS



DG-22 DOR-GUARD SET



MAXIMUM SECURITY DG-22 DOR-GUARD SET

Designed to protect mortise cylinders on narrow stile aluminum doors. Engineered to give maximum security against forcible unauthorized entry by removal of cylinder or cylinder plug.

Can be used with any brand of Mortise Key Cylinders including Medeco and Most other brands of High Security Mortise Key Cylinders.

Order #	Item #	Price
844-0201	DG-22 Stainless	\$31.04
844-0202	DG-22 Duro	31.04

STD PACKAGE. Each Guard is Boxed with All Necessary Parts and Fasteners for One Assembly. Approx. Shipping Weight: 1 lb.



Item #	Order #	PRICE
S-5164-US3	845-5163	\$4.84
S-5164-26D	845-5164	4.00

DorGard III[™]



A common problem with narrow stile aluminum doors is attack at the door jamb. An unprotected door is subject to a pry bar spreading the door and the jamb, or even ripping out the jamb, allowing unauthorized entry. Sawing the bolt has also been a means to gain unlawful entry. DorGard III[™] will thwart all of these attempts, as well as guard the lock cylinder.

The DorGard IIITM provides the same cylinder protection as the DorGard IITM, plus has the added benefit of a hardened steel latch protection plate. Cast in one piece, with ribs on the back for added strength, the latch plate has two pins that will rest in holes drilled into the door jamb. This innovative pin feature adds another level of security to the door by linking the door and the jamb together. The perfect choice for electric strike applications; it adds security to the convenience of electric strikes. It completely conceals the area of the lock bolt and strike, and blocks all access to the lock and cylinder. The DG3 can be used with any cylinders from 15/16" to 1-3/8" (2.38 x 3.50cm) in length.


Non-handed so it can be used on right or left handed doors.

DG-series door guards are available in either a Satin Stainless or Duracoat Bronze finish, providing an extremely durable and attractive finish. Mounting hardware and illustrated installation instructions are included. We suggest using the HPC TK3 installation kit.

Order #	Item #	Catalog Price
360-0125	DG3-APS-10	\$302.00

HPC

MISC. HARDWARE CYLGUARDS



Order #	Item #	Finish
750-0001	DG2-AXS-10	Aluminum



DOOR Viewers MISC. HARDWARE

DOOR VIEWERS

DV101

DV103

Du Seung

Quality viewer offering 160° field of vision. Machined from solid brass, with ground glass lens.

For doors 1-3/8	" to 2" thick.	
Order #	Finish	Price
920-2310	Brass	\$5.92
920-2311	Chrome	4.68

Four element lens system provides 190° vision field. Fits doors 1-3/8 to 2" thick

920-2320 920-2321	Brass	\$7.84
	Diass	\$7.04

DOORSCOPE Door Viewers

Identify Visitors Seven Feet From Your Door in Your Room!

FEATURES

- Provides 132° of horizontal visibility Projects a true
- image of visitors
- Super wide angle
- Easy to Install in metal or wood doors
- Made of Aluminum: Charcoal Black, Fancy Brass, or Grey Finishes

APPLICATIONS

Home, Apartments, Condos, Offices, Hotels, Restaurants, Retail Stores, Banks, Hospitals & more!

Order #	Item #	Finish
233-1000	DS/1000 MB	Black
233-2000	DS/1000 MG	Grey
233-3000	DS/1000 FB	Fancy Bras





\$56.56

Solid Brass, 180° One Inch Diameter, Optical Glass Lens. Carded \$15.44 520-8728 8728



Wide Angle Door Viewer

Solid Brass with Optical Glass Lens, fits 1-3/8" to 2" doors. 200° angle of view, 9/16" diameter. Carded 910-0602 MAG 8729 \$12.64



Decorative Trim

Modernization Kits

An economical way to replace old mortise locksets without filling in holes left by removal of old lock. Consists of a latch and strike plate and front and back trim plates.

KWIKSET-214. Used on

exterior doors. Trim plates 10-1/2 x 3-1/2". Latch plate is 8 x 1-1/8". 455-2143 214-US3 **\$70.56**



KWI-215. Used on interior

doors. Trim plates 7-1/4 x 3-11/32". Latch plate is 6 x 1". 215-US3 **\$55.30** 455-2153



Round Rosettes

KWI-293. 3-13/16" diameter.				
Order #	Finish	PRICE		
455-2930	26D	\$18.90		
455-2933	US3	17.92		
455-2935	US5	20.30		






WEISER Blank Filler LOCK Plate Sets

For use in filling a 2-1/8" diameter side hole on a door which has been prepared for a lock, but one is not needed. Set consists of two flat blank roses (reinforced), each with threaded post and one screw hole, and a blank latch face. Filler Plates.


WEISER-7058. Blank Latch Face 2-1/4 x 1".			
940-0078	7058 26D	\$58.40	
940-0076	7058-US3	35.04	


WEI-7059. Blank Latch Face 2-1/4 x 1-1/8" 940-0090


W	'El-1629.	3-1/2	" Square.
	7059 26D		\$35.04












Vinyl Seals

- Synthetic polymer: Polyamide
- Economical
- Moisture resistant
- Flame resistand
- Temperature range 0°F to 140°F
- Plasticizers evaporate with age and exposure to UV, Cold, heat causing hardening, loss of memory, loss of resilience, cracking, and crazing

#6 x 3/4" stainless steel sheet metal screws furnished. Screw holes are slotted for adjustment

Item #	Size	Cat. Price
160V	36"x86"	\$26 .80
160V	72"x86"	31.44
	160V	160V 36"x86"



Neoprene Sweeps

#6 x 3/4" stainless steel sheet metal screws furnished. Screw holes are slotted for adjustment

Order #	Item #	Size	Cat. Price
610-0065	200NA	36"	\$14.36
610-0070	200NA	48"	19.16

HAGER

HAGER HINGES

Hager Door Bottom Sweeps

Clear anodized Aluminum w/neoprene insert.

Available in our Atlanta Warehouse

Wallable in our Manna Warenbuse.				
Order #	Item #		Price	
365-0070	750SXN 36	5"	\$19.20	
365-0800	750SXN 48	3"	23.52	

3/8″


÷

NGP

7/1//

A626A

GASKETING & SEALS



nylon brush



GASKETING

Silicone Bulb Fire & Smoke Seals

Edge sealing system, category "G" for 20 minute rated category B wood doors perimeter application up to: single swing 4'x8', pairs 8'x8'

Up to 3 hours steel fire doors

Up to 1-1/2 hours wood fire doors Meets requirements of ROHS Directive 202/95/EC

Self Adhesive, "C": Charcoal color

Order #	Item #	Size	Catalog Price
610-0090	5050C-17	17' Roll	\$28.56
610-0095	5050C-20'	20' Roll	33.60

GASKETING Nylon Brush Seals

- Synthetic polymer: Polyamide
- Excellent abrasion resistance, flexibility and memory
- Moisture resistant
- Retains insecticides well
- \bullet Temperature range -70°F to 160°F
- BHMA Certified to ANSI A156.22 performance tests for Heat, Cold, Air Leakage, and Smoke Control in most common profiles as indicated by BHMA Certified symbol
- No effective against water penetration.
- Sheet metal screws included

A- Clear with gray brush

Order #	Item #	Size	Catalog Price
610-0100	A626A	36"x86"	\$65.18
610-0105	A626A	72"x86"	76.46
610-0110	D608A	36"	20.42
610-0115	D608A	48"	27.22

Drip Strips

A- Clear					
Order # I	Item #	Size	Catalog Price		
610-0075	16A	40"	\$18.02		

